

Instructions for Process

1. Applicant contacts Contractor and reaches agreement on the scope, schedule and fee for the work.
2. Contractor completes Application and obtains Applicants signature.
3. Contractor forwards Application to Polk County Public Works for review/approval.
4. Upon approval, Polk County Public Works will return the approved Application to Contractor. The approved Application will serve as the Applicants Notice to Proceed to Contractor.

Summer Dust Control

The vendors listed below have submitted current insurance information to Polk County Public Works and have been authorized to perform dust abatement on Polk County roads. The listing of these companies is provided as a convenience and does not constitute an official endorsement or recommendation by Polk County, nor does the order they are listed constitute any preference of one over the other. You should contact them directly for price quotes, schedules and supplies. Property owners are allowed to propose application by a vendor not on this list, provided the other vendor provides Polk County with the necessary insurance documents. In addition, an application is required for approval before dust control will be applied.

<u>Company</u>	<u>Contact</u>	<u>Phone number</u>	<u>Product</u>
Nutrien Ag Solutions/Crop Production Services	Dell dell.weston@cpsagu.com	503-623-3101	Lignosulfonate
Koenig's Custom Application	Robin koenigscustomapplication@outlook.com	503-932-8598	Lignosulfonate & Earthbind 100
Koenig's Custom Application	Dan dsilver823@gmail.com	503-393-9392	Lignosulfonate & Earthbind 100
Orchard & Vineyard Supply	Anthony Kay anthony.kay@ovs.com	503-437-1971	Lignosulfonate & Earthbind 100
Orchard & Vineyard Supply	Chris Svarverud chris.svarverud@ovs.com	503-435-9363	Lignosulfonate & Earthbind 100
Envirotech Services	Mike mcoffey@envirotechservices.com	360-522-6519	Roadsaver



POLK COUNTY

820 S.W. ASH STREET * DALLAS, OREGON 97338-2112
503-623-9287 * FAX 503-623-0897

PUBLIC WORKS

APPLICATION FOR DUST CONTROL

Application Date: _____

Applicant Name

Address

City

State

Zip

Phone

E-mail

Road where dust control material will be placed: **REQUIRED** _____

Contractor (*Company Placing Dust Control Agent*)

Dust Control Agent (*chemical*)

REQUIRED:

Length

Width

From

To

Remarks:

NOTE: Dust control material must be applied the full width of the gravel road.

Applicant hereby certifies that the information submitted above is correct & further understands that submission of fraudulent information will render this application void. They certify that they have read and understand the facts concerning the use of Lignosulfonate ("Lignin") or Earthbind 100 and have discussed the use of the chosen dust control agent with the contractor. Applicant will place wired flags at shoulder, at the beginning and end of section to be sprayed and keep them in place until October. **Grading of Polk County roads will occur whenever deemed necessary to maintain the roads to County standards. Applicant acknowledges that Polk County reserves the right to grade the road at any time and that Polk County is not responsible for loss of material due to said grading. Applicant certifies that approval of this permit by Polk County, and transmittal of same to Contractor, will serve as Applicants Notice to Proceed to Contractor and Polk County will have no responsibility for any costs associated with work included in this permit. Additionally, Polk County is not responsible for injury to persons or property caused directly or indirectly by reason of application.**

Applicant Signature

Date

County Approval

Date

DUST ABATEMENT

COMMONLY ASKED QUESTIONS

Q. How much does it cost?

A. The cost will vary on product used and length of road to be covered. It is recommended that the resident receive a quote. Residents should select an approved product and contractor. Contractor will supply applicant with flags for marking beginning and ending locations of the area to be treated. The resident will pay their contractor directly for the service. There is no fee to obtain a permit from the county.

Q. What information will be needed for Polk County?

A. The permit should specify the address, lineal feet and width of the area to be treated. Several property owners can combine their lengths to treat a longer section of road.

Q. What are the products, approved for use by residents, to reduce dust problems along county roads?

A. Lignosulfonate (“Lignin”) and Earthbind 100 are approved dust retardants in Polk County.

Q. How should it be applied?

A. The applicator should follow manufacturer’s specifications for solution mix and application method.

Q. How long does treatment last?

A. Effectiveness of the application will be dependent on road condition, rains, traffic volume and other variables. The dust control should last throughout the summer season. Please be aware that dependent on rainfall, road condition, and other factors, Polk County may grade the road. The County will make every attempt to avoid areas where dust control has been applied. However, the County reserves the right to grade any road at any time to preserve the integrity of the roads. Grading will end the effectiveness of the application.

Q. How effective is Lignin or Earthbind 100 to control dust?

A. Effectiveness of both products in controlling dust varies. In general, the products are very effective when first applied and gradually loses some effectiveness with the passage of time, depending on the amount and type of traffic using the road and the amount of summer rainfall that occurs.

Q. Are there any bad effects from the use of Lignin for dust control?

A. As mentioned, the product will lose effectiveness as a result of very heavy rainfall. Other undesirable characteristics are:

1. After application, there may be puddles of the Lignin still in evidence for up to 12 hours. Later, rainfall may also cause the product to splash. If splashing occurs, the product can be washed off with soap and water. **LIGNIN DOES NOT ACCELERATE RUSTING.**
2. Under heavy traffic the treated road surface may begin to develop potholes. Should the road surface become excessively rough, Polk County may repair or grade the road.

Q. What is the recommended time period for application of products?

A. It is recommended that Lignin or Earthbind 100 be applied after the rains have subsided. Typically Polk County grades the roads from September to mid-June. Application of products prior to mid-June would increase the likelihood of a road being graded, thereby deteriorating the effectiveness of the application. Similarly, rainfall will influence the fall grading schedule.

Q. What is the recommended road condition prior to dust retardant application?

A. When product is applied to the road it essentially “freezes” the road in to the condition it was in at the time of the application. Therefore, it is recommended that your road be in optimal condition prior to the application of the material. Optimal road condition would be a road that has minimal wash-boarding, minimal potholes and minimal loose gravel. Polk County does not have staff or resources to prepare roads prior to application of dust retardant.

Q. Where can I find more information concerning the use of Lignin or Earthbind 100 for dust control?

A. The Material Safety Data Sheets (MSDS) are stored at the Public Works Office and are available at <http://www.co.polk.or.us/pw/summer-dust-control>.

The Bureau of Land Management, the US Forest Service and Oregon Department of Transportation have experience with the use of these products. Both are environmentally safe products. You may also contact one of the dust control vendors listed.