APPLICATION FOR DRIVEWAY ACCESS PERMIT

DIRECTIONS:

- 1) Read the enclosed information, complete the application, use back page for a drawing of the proposed location for the driveway access.
- 2) Fees:
- Permit Fee New Access:
 Send or deliver application with \$250.00 permit fee to:

POLK COUNTY PUBLIC WORKS Attn: Permits 820 SW Ash Street Dallas, OR 97338-2112

- Existing Access Application Fee may be waived if:
 - 1) Access has existed at least 10 years.
 - 2) Meets Polk County Standards.
 - 3) Has not had any problems (i.e. plugging, overtopping, etc).
- 3) Use flagging ribbon and/or identification markers to locate site of proposed driveway access for inspection purposes.
- 4) A preliminary inspection will be performed by the permit inspector prior to construction to determine the size and length of your access and to verify drainage and safety requirements for the proposed driveway access.
- 5) A Construction Work in Right-Of-Way permit may be issued to construct your access. The permit inspector is available at 503-623-9287 to answer any questions you may have in order to construct your access to make sure it is built to Polk County specifications.
- 6) If your constructed access passes inspection, an access permit will be issued.
- 7) Notify the Public Works Department 24 hours prior to construction.

QUESTIONS? Contact Polk County Public Works at (503) 623-9287

PERMIT PROCESSING TIME: Approximately 7-10 working days from the date received.

DRAINAGE

A. A culvert pipe will be required under a driveway access if it is necessary to maintain lateral drainage in ditch.

Culvert Pipe Specifications:

- 1) DIAMETER: Based on local drainage conditions minimum 12 inch.
- 3) LENGTH: Top width of driveway at ditch line, plus additional length required to clear driveway fill slopes.
- 4) DEPTH OF CULVERT: As required to match ditch flow line. Compacted base rock is recommended to prevent settling.
- 5) DEPTH OF COVER: Minimum of 12 inches. River rock is unacceptable.
- 6) TYPE: Concrete, ADS N-12 Smooth Wall, Min. Class 50 DI Pipe, Concrete Tongue & Groove, or Corrugated Polyethylene.
- 7) Each end of the access shall be armored with 4" to 6" open to prevent sluffing.
- B. Driveway access shall be designed so that drainage runoff from the driveway will not run on or across the shoulder area or travel lanes.

In urban areas where the drainage is along a curb and gutter, the paved access approach may drain into the gutter.

GRADE/SLOPE

The first 20 feet from the roadway shall have a slope of no more than 4%. This will ensure a safe stopping area for vehicles entering the road.

POLK COUNTY PUBLIC WORKS DRIVEWAY ACCESS PERMIT APPLICATION

\$250.00 ACCESS PERMIT FEE PAID (Make checks Payable to Polk County Public Works)

APPLICANT INFORM	MATION:		
Name:	: Property Address:		
Mailing Address:		Tax Lot:	
City, State ZIP:		Road Name:	
Phone Number:		Email:	<u></u>
DRIVEWAY ACCESS Residence	S WILL SERVE (Check	Appropriate Box): Business	☐ Reconstruction
Other (Specify):		
DRIVEWAY ACCESS Unpaved	STYPE (Check Approp Paved	riate Box):	☐ Curbed
CONSTRUCTION DA	ATES (Approximate):		
Start Date:		Finish Date:	
Work will be performe	ed by:		
Owner – or -		ide a certificate of insuran	Phone: ce listing Polk County as an (fax to 503-623-0897).
county road. Applicar	nt hereby applies to Polk	County for permission to	ty abutting the above-described construct a driveway access. Upor olk County and is accepted by the
employees from any a		personal injury, or damag	y and its officers, agents, and e to property of any nature which
APPLICANT SIGNAT	TURE:	Date	:

DRIVEWAY ACCESS LOCATION

Please identify the following on the drawing:

- 1) Access location
- 2) Road name
- 3) Nearby intersections
- 4) Distance from property corner (approximate)
- 5) Distance (miles) from intersection to access location
- 6) Landmarks (bridge, river, building, etc.) as necessary



